



02.2021

VENTOLE STANDARD SPAL

STANDARD SPAL FANS

● **VENTOLE SPAL STANDARD**
STANDARD SPAL FANS

16.1058



9.1001

VA14-AP7/C-34A
ASPIRANTE - SUCTION
Ø 190mm 12V



Pressione statica mm H2O: 0
Portata: 620m/h - Assorb: 4,4A

9.1002

VA14-AP7/C-34S
SOFFIANTE - BLOWING
Ø 190mm 12V



Pressione statica mm H2O: 0
Portata: 590m/h - Assorb: 4,3A

9.1003

VA14-BP7/C-34S
SOFFIANTE - BLOWING
Ø 190mm 24V



Pressione statica mm H2O: 0
Portata: 640m/h - Assorb: 2,5A

9.1004

VA14-BP7/C-34A
ASPIRANTE - SUCTION
Ø 190mm 24V



Pressione statica mm H2O: 0
Portata: 650m/h - Assorb: 2,4A

9.1005

VA07-AP12/C-31S
SOFFIANTE - BLOWING
Ø 225mm 12V



Pressione statica mm H2O: 0
Portata: 1030m/h - Assorb: 6,1A

9.1006

VA07-AP12/C-31A
ASPIRANTE - SUCTION
Ø 225mm 12V



Pressione statica mm H2O: 0
Portata: 920m/h - Assorb: 5,2A

9.1007

SOFFIANTE - BLOWING
Ø 225mm 24V



Pressione statica mm H2O: 0
Portata: 1080m/h - Assorb: 4,1A

9.1008


VA07-BP7/C-31A
ASPIRANTE - SUCTION
Ø 225mm 24V



Pressione statica mm H2O: 0
Portata: 1070m/h - Assorb: 3,7A

9.1009


VA11-AP8/C-29S
SOFFIANTE - BLOWING
Ø 255mm 12V



Pressione statica mm H2O: 0
Portata: 1070m/h - Assorb: 5,4A

9.1010


VA11-AP8/C-29A
ASPIRANTE - SUCTION
Ø 255mm 12V



Pressione statica mm H2O: 0
Portata: 1090m/h - Assorb: 5,8A

9.1011


VA11-BP7/C-29S
SOFFIANTE - BLOWING
Ø 255mm 24V



Pressione statica mm H2O: 0
Portata: 1320m/h - Assorb: 4,5A

9.1012

VA11-BP7/C-29A
ASPIRANTE - SUCTION
Ø 255mm 24V



Pressione statica mm H2O: 0
Portata: 1340m/h - Assorb: 5A

9.1013

VA09-AP8/C-27S
SOFFIANTE - BLOWING
Ø 280mm 12V



Pressione statica mm H2O: 0
Portata: 1290m/h - Assorb: 6,4A

9.1014

VA09-AP8/C-27A
ASPIRANTE - SUCTION
Ø 280mm 12V



Pressione statica mm H2O: 0
Portata: 1280m/h - Assorb: 6,2A

9.1015

VA09-BP8/C-27S
SOFFIANTE - BLOWING
Ø 280mm 24V



Pressione statica mm H2O: 0
Portata: 1370m/h - Assorb: 3.6A

9.1016

VA09-BP8/C-27A
ASPIRANTE - SUCTION
Ø 280mm 24V



Pressione statica mm H2O: 0
Portata: 1380m/h - Assorb: 3.7A

9.1017

VA10-AP9/C-25S
SOFFIANTE - BLOWING
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 1450m/h - Assorb: 6.4A

9.1018

VA10-AP9/C-25A
ASPIRANTE - SUCTION
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 1470m/h - Assorb: 6.9A

9.1019

VA10-BP9/C-25S
SOFFIANTE - BLOWING
Ø 305mm 24V



Pressione statica mm H2O: 0
Portata: 1410m/h - Assorb: 3,3A

9.1020

VA10-BP9/C-25A
ASPIRANTE - SUCTION
Ø 305mm 24V



Pressione statica mm H2O: 0
Portata: 1560m/h - Assorb: 3,5A

9.1021

VA13-AP9/C-35S
SOFFIANTE - BLOWING
Ø 330mm 12V



Pressione statica mm H2O: 0
Portata: 1680m/h - Assorb: 7,1A

9.1022

VA13-AP9/C-35A
ASPIRANTE - SUCTION
Ø 330mm 12V



Pressione statica mm H2O: 0
Portata: 1630m/h - Assorb: 7,5A

9.1023

VA13-BP9/C-35S
SOFFIANTE - BLOWING
Ø 330mm 24V



Pressione statica mm H2O: 0
Portata: 1720m/h - Assorb: 3,2A

9.1024


VA13-BP9/C-35A
ASPIRANTE - SUCTION
Ø 330mm 24V



Pressione statica mm H2O: 0
Portata: 1710m/h - Assorb: 3,9A

9.1025


VA08-AP10/C-23S
SOFFIANTE - BLOWING
Ø 350mm 12V



Pressione statica mm H2O: 0
Portata: 1620m/h - Assorb: 5,5A

9.1026


VA08-AP10/C-23A
ASPIRANTE - SUCTION
Ø 350mm 12V



Pressione statica mm H2O: 0
Portata: 1620m/h - Assorb: 6,5A

9.1027


VA08-BP10/C-23S
SOFFIANTE - BLOWING
Ø 350mm 24V



Pressione statica mm H2O: 0
Portata: 1670m/h - Assorb: 3,2A

9.1028


VA08-BP10/C-23A
ASPIRANTE - SUCTION
Ø 350mm 24V



Pressione statica mm H2O: 0
Portata: 1680m/h - Assorb: 3,6A

9.1029


VA18-AP70/LL-41S
SOFFIANTE - BLOWING
Ø 385mm 12V



Pressione statica mm H2O: 0
Portata: 3020m/h - Assorb: 15,4A

9.1030


VA18-AP70/LL-41A
ASPIRANTE - SUCTION
Ø 385mm 12V



Pressione statica mm H2O: 0
Portata: 3030m/h - Assorb: 17,3A

9.1031


VA18-BP70/LL-41S
SOFFIANTE - BLOWING
Ø 385mm 24V



Pressione statica mm H2O: 0
Portata: 3010m/h - Assorb: 7,6A


9.1032

VA18-BP70/LL-41A
ASPIRANTE - SUCTION
Ø 385mm 24V



Pressione statica mm H2O: 0
Portata: 3040m/h - Assorb: 7,5A

9.1063



9.1066

VA03-BP70/LL-37A
ASPIRANTE - SUCTION
Ø 280mm 24V



Pressione statica mm H2O: 0
Portata: 2480m/h - Assorb: 7,0A

9.1073

VA01-BP70/LL-36A
ASPIRANTE - SUCTION
Ø 305mm 24V



Pressione statica mm H2O: 0
Portata: 2900m/h - Assorb: 7,4A

9.1081

VA03-AP70/LL-37A
ASPIRANTE - SUCTION
Ø 280mm 12V



Pressione statica mm H2O: 0
Portata: 2330m/h - Assorb: 12,8A

9.1088

VA01-BP70/LL-36S
SOFFIANTE - BLOWING
Ø 305mm 24V



Pressione statica mm H2O: 0
Portata: 2760m/h - Assorb: 7,1A

9.1089

VA11-AP7/C-57A
ASPIRANTE - SUCTION
Ø 255mm 12V



Pressione statica mm H2O: 0
Portata: 1360m/h - Assorb: 8,7A

9.1090

VA11-BP12/C-57A
ASPIRANTE - SUCTION
Ø 255mm 24V



Pressione statica mm H2O: 0
Portata: 1300m/h - Assorb: 3,9A

9.1091

VA01-AP70/LL-36A
ASPIRANTE - SUCTION
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 2780m/h - Assorb: 13,9A

9.1095

VA10-AP50/C-61A
ASPIRANTE - SUCTION
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 2250m/h - Assorb: 13,5A

9.1100

VA09-AP12/C-54A
ASPIRANTE - SUCTION
Ø 280mm 12V



Pressione statica mm H2O: 0
Portata: 1430m/h - Assorb: 7,8A

9.1108

VA07-AP12/C-58A
ASPIRANTE - SUCTION
Ø 225mm 12V



Pressione statica mm H2O: 0
Portata: 1060m/h - Assorb: 6,7A

9.1115

VA11-AP7/C-57S
SOFFIANTE - BLOWING
Ø 255mm 12V



Pressione statica mm H2O: 0
Portata: 1430m/h - Assorb: 7,6A

9.1118

VA03-BP70/LL-37S
SOFFIANTE - BLOWING
Ø 280mm 24V



Pressione statica mm H2O: 0
Portata: 2310m/h - Assorb: 6,2A

9.1119

VA09-AP12/C-54S
SOFFIANTE - BLOWING
Ø 280mm 12V



Pressione statica mm H2O: 0
Portata: 1500m/h - Assorb: 7,7A

9.1120

VA10-AP10/C-61S
SOFFIANTE - BLOWING
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 1590m/h - Assorb: 6,2A

9.1121


VA10-AP10/C-61A
ASPIRANTE - SUCTION
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 1540m/h - Assorb: 6,7A

9.1122


VA13-AP51/C-35S
SOFFIANTE - BLOWING
Ø 330mm 12V



Pressione statica mm H2O: 0
Portata: 2010m/h - Assorb: 7,9A

9.1123

VA13-AP51/C-35A
ASPIRANTE - SUCTION
Ø 330mm 12V



Pressione statica mm H2O: 0
Portata: 1980m/h - Assorb: 8,7A

9.1124

VA32-A101-62A
ASPIRANTE - SUCTION
Ø 96mm 12V



Pressione statica mm H2O: 0
Portata: 250m/h - Assorb: 3,0A

9.1125

VA22-AP11/C-50S
SOFFIANTE - BLOWING
Ø 167mm 12V



Pressione statica mm H2O: 0
Portata: 510m/h - Assorb: 5,1A

9.1126

VA22-AP11/C-50A
ASPIRANTE - SUCTION
Ø 167mm 12V



Pressione statica mm H2O: 0
Portata: 530m/h - Assorb: 5,0A

9.1127

VA22-BP11/C-50A
ASPIRANTE - SUCTION
Ø 167mm 24V



Pressione statica mm H2O: 0
Portata: 500m/h - Assorb: 2,3A

9.1128

VA07-AP12/C-58S
SOFFIANTE - BLOWING
Ø 225mm 12V



Pressione statica mm H2O: 0
Portata: 1080m/h - Assorb: 7,2A

9.1129

VA07-BP12/C-58S
SOFFIANTE - BLOWING
Ø 225mm 24V



Pressione statica mm H2O: 0
Portata: 1180m/h - Assorb: 3,9A

9.1130

VA07-BP12/C-58A
ASPIRANTE - SUCTION
Ø 225mm 24V



Pressione statica mm H2O: 0
Portata: 1170m/h - Assorb: 4,0A

9.1131

VA10-AP70/LL-61A
ASPIRANTE - SUCTION
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 2250m/h - Assorb: 13,5A

9.1132

VA10-BP70/LL-61A
ASPIRANTE - SUCTION
Ø 305mm 24V



Pressione statica mm H2O: 0
Portata: 2250m/h - Assorb: 13,5A

9.1133


VA01-AP70/LL-36S
SOFFIANTE - BLOWING
Ø 305mm 12V



Pressione statica mm H2O: 0
Portata: 2860m/h - Assorb:13,9A

9.1134


VA18-AP71/LL-42S
SOFFIANTE - BLOWING
Ø 385mm 12V



Pressione statica mm H2O: 0
Portata: 3320m/h - Assorb:21,5A

9.1135

VA18-AP71/LL-59A
ASPIRANTE - SUCTION
Ø 385mm 12V



Pressione statica mm H2O: 0
Portata: 3430m/h - Assorb:19,5A

9.1136

VA18-BP71/LL-42S
SOFFIANTE - BLOWING
Ø 385mm 24V



Pressione statica mm H2O: 0
Portata: 3390m/h - Assorb:10,2A

9.1137

VA18-BP71/LL-59A
ASPIRANTE - SUCTION
Ø 385mm 24V



Pressione statica mm H2O: 0
Portata: 3690m/h - Assorb: 9,1A

9.1138

VA11-BP12/C-57S
SOFFIANTE - BLOWING
Ø 255mm 24V



Pressione statica mm H2O: 0
Portata: 1400m/h - Assorb: 3,7A

9.1139

VA15-BP70/LL-39A
ASPIRANTE - SUCTION
Ø 255mm 24V



Pressione statica mm H2O: 0
Portata: 1990m/h - Assorb: 5,7A

9.1140

VA09-BP12/C-54A
ASPIRANTE - SUCTION
Ø 280mm 24V



Pressione statica mm H2O: 0
Portata: 1520m/h - Assorb: 4,5A

9.1141



9.1142



9.1143



9.1144



9.2003

006-B40-22
3 speed
L: 351mm 24V



Pressione statica mm H2O: 0
Portata: 1100m/h - Assorb:12,0A

9.2027

008-A45-02
3 speed
L: 310mm 12V



Pressione statica mm H2O: 0
Portata: 690m/h - Assorb:15,1A

9.2030

002-B46-02
3 speed
L: 317mm 24V



Pressione statica mm H2O: 0
Portata: 640m/h - Assorb: 6,0A

9.2031

006-A40-22
3 speed
L: 351mm 12V



Pressione statica mm H2O: 0
Portata: 1080m/h - Assorb:25,3A

9.2032

006-B46-22
3 speed
L: 351mm 24V



Pressione statica mm H2O: 0
Portata: 920m/h - Assorb: 8,1A

9.2034

008-B45-02
3 speed
L: 310mm 24V



Pressione statica mm H2O: 0
Portata: 750m/h - Assorb: 8,2A

9.2040

006-B39-22
3 speed
L: 351mm 24V



Pressione statica mm H2O: 0
Portata: 1200m/h - Assorb:16,0A

9.2050

009-B40-22
3 speed
L: 335mm 24V



Pressione statica mm H2O: 0
Portata: 1070m/h - Assorb:11,0A

9.2135

010-A70-74D
3 speed
L: 133,5mm 12V



Pressione statica mm H2O: 0
Portata: 510m/h - Assorb:19,9A

9.2136

010-B70-74D
3 speed
L: 133,5mm 24V



Pressione statica mm H2O: 0
Portata: 530m/h - Assorb:11,1A

9.2137

008-A100-93D
3 speed
L: 119mm 12V



Pressione statica mm H2O: 0
Portata: 260m/h - Assorb: 5,3A

9.2138

008-B100-93D
3 speed
L: 119mm 24V



Pressione statica mm H2O: 0
Portata: 260m/h - Assorb: 2,5A